

Sparrow/2FV



запатентованный рукав для тормозных систем согл. норм. EN 45545 e Running Capability, без галогенов



Применение:

запатентованный напорный рукав, разработанный как гибкое соединение в системах пневматического торможения ж/д вагонов и локомотивов. Огнестойкость с низкой токсич. и низ. уровн. выбросов паров гарантируется за счет встроенного стекловолокна. Без галогенов. Гарантии Running Capability собранных рукавов согл. треб. Trenitalia, Тех., спец. 373407 esp. 06.

со стекловолокном устойчивым к высоким температурам
в соответствии с EN 45545 HL3 R22 и R23 и EN 50553
рукав патентован

Нормативно-правовые акты:

EN 45545-2:2015 HL3 R22-R23. EN 50553.
тестирован по ISO 15540. Спецификация
Trenitalia n° 373407 esp. 06.



Внутренний слой:

черный, гладкий из синтетич. резины.

Усиление:

синтетич. высокопрочный текстиль и стекловолокн. для высоких темпер.

Покрытие:

черное, гладкое (бандаж) из резины длительного использования, устойчивой к атмосфер. воздействиям, озону, маслам, горению.

Температура:

от -30°C до +80°C.

Маркировка:

маркир. оттиском "IVG/катег./дата произ./цветная полоса.



Sparrow/2FV



Код	Внутренний диаметр		Внешний диаметр		Разрывное давление		Номинальный вес		Максимальная длина	
	mm	inch	mm	inch	bar	psi	kg/m	lbs/ft	m	ft
1484770	13	1/2	33	1,30	75	1125	0,88	0,59	60	200
1486500	16	5/8	37	1,46	75	1125	1,09	0,73	60	200
1484222	18	45/64	39	1,54	75	1125	1,17	0,79	60	200
1484621	22	7/8	44	1,73	75	1125	1,44	0,97	60	200
1484460	28	1-7/64	50	1,97	75	1125	1,69	1,13	60	200
1487000	38	1 1/2	60	2,36	75	1125	2,1	1,41	60	200

Возможные варианты по запросу:

1. Разные диаметры
2. Собранные с соединениями.

SPECIAL DETAILS

SAFETY INFORMATION – USER RESPONSIBILITIES

The service life of rubber hoses mainly depends on the dedicated use. Equipment and systems where the hose is installed must be designed safely. Since our hose can be designed for different applications, **IVG Colbachini** cannot guarantee the proper functioning of the product for all situations.

The analysis of the technical aspects related to specific uses must be performed by the users when choosing the product that meets their requirements. So, in relation to the variety of operating conditions and applications of the IVG hose, the user is solely responsible for the final choice of the product deemed suitable to satisfy the performance and safety requirements called for the application.

The information and technical data shown in the product data sheets must be examined by users with appropriate technical skills. IVG Colbachini is not responsible for other uses, identified by the end user, that are different from the one shown in its catalogues, product sheets, offers, order confirmations and any recommendations attached.

An inappropriate choice of the product or a failure to follow the procedures of installation, use, maintenance and storage of the hoses may lead to a hose break and cause material damage and/or serious injury to people.

For the selection and proper use of the IVG products you can also refer to the document "Recommendations for selection, storage, use and maintenance of rubber hoses" provided by Assogomma and available on www.ivgspa.it. These recommendations are according to the international standard ISO 8331, "Plastic and rubber hoses and hose assemblies - Guidelines for selection, storage, use and maintenance."

For safety reasons, never exceed the working pressure indicated in the product data sheet.

For specific applications of rubber hoses, please refer to the legal requirements or specific standards; moreover, additional recommendations for particularly critical applications are available.

For further information, contact the Marketing department (marketing@ivgspa.it).